



M8 Series



防水連接器 Water Proof Connector

Best
CONNECTOR

ROHS

單位:mm

編號/ITEM NO.: BM-08**-P*A-L



Number of contacts PIN數	2 PIN	3 PIN	4 PIN
Contacts of configuration PIN位圖			
Cross-section AWG 連接截面	26AWG ~ 22 AWG		
Water proof rating IP防水等級	IP 68		
Measuring voltage 測量電壓	60V		
Impulse voltage 衝擊電壓	800V		
Measuring current 測量電流	1A		
Transition resistance 過渡電阻	≤3mΩ		
Insulation resistance 絕緣電阻	> 10 ¹⁰ mΩ		



M8 Series



防水連接器 Water Proof Connector

Best
CONNECTOR

ROHS

單位:mm

編號/ITEM NO.: BM-08**-P*B-L



Number of contacts PIN數	2 PIN	3 PIN	4 PIN
Contacts of configuration PIN位圖			
Cross-section AWG 連接截面	26AWG ~ 22 AWG		
Water proof rating IP防水等級	IP 68		
Measuring voltage 測量電壓	60V		
Impulse voltage 衝擊電壓	800V		
Measuring current 測量電流	1A		
Transition resistance 過渡電阻	$\leq 3\text{m}\Omega$		
Insulation resistance 絕緣電阻	$> 10^{10}\text{m}\Omega$		

M8 Series



防水连接器 Water Proof Connector

Best
CONNECTOR

ROHS

單位:mm

編號/ITEM NO. : BM-08**-RMA-L



Number of contacts PIN數	2 PIN	3 PIN	4 PIN
Contacts of configuration PIN位圖			
Cross-section AWG 連接截面	26AWG ~ 22 AWG		
Water proof rating IP防水等級	IP 68		
Measuring voltage 測量電壓	60V		
Impulse voltage 衝擊電壓	800V		
Measuring current 測量電流	1A		
Transition resistance 過渡電阻	$\leq 3\text{m}\Omega$		
Insulation resistance 絕緣電阻	$> 10^{10}\text{m}\Omega$		






ROHS

單位:mm

編號/ITEM NO. : BM-08**-P*C/D-L



Number of contacts PIN數	2 PIN	3 PIN	4 PIN	5 PIN
Contacts of configuration PIN位圖				
Cross-section AWG 連接截面	26AWG ~ 22 AWG			
Water proof rating IP防水等級	IP 68			
Measuring voltage 測量電壓	60V			
Impulse voltage 衝擊電壓	800V			
Measuring current 測量電流	1A			
Transition resistance 過渡電阻	$\leq 3\text{m}\Omega$			
Insulation resistance 絕緣電阻	$> 10^{10}\text{m}\Omega$			